

STANDARD CURB

- EPDM Wear Course 1/2"
- Shredded SBR Impact Course
- Minimum 4" Crushed Stone Compacted to 95%



TIMBER EDGE BORDER

- EPDM Wear Course 1/2"
- Shredded SBR Impact Course
- Minimum 4" Crushed Stone Compacted to 95%



SAWCUT INTO CONCRETE

- EPDM Wear Course 1/2"
- Shredded SBR Impact Course
- Minimum 4" Concrete/Asphalt



Slope no greater than 1:12 per ADA Guidelines

STANDARD TAPERED EDGE

- EPDM Wear Course 1/2"
- Shredded SBR Impact Course
- Minimum 4" Concrete/Asphalt



Slope no greater than 1:12 per ADA Guidelines

SOFT SHOULDER

- EPDM Wear Course 1/2"
- Shredded SBR Impact Course
- Minimum 4" Crushed Stone Compacted to 95%



1/2" TOP ONLY OVER CONCRETE FOR WALKWAYS & POOL DECKS

- EPDM Wear Course 1/2"
- Minimum 4" Concrete/Asphalt



EDGE DETAILS